
## LISTING OF CLAIMS August 2003

- 1-17. (previously cancelled):
- 18. (currently amended): A compound selected from those of formula (I):



wherein

- ✓ R<sub>1</sub>, R<sub>2</sub>, R<sub>3</sub> and R<sub>4</sub> independently represent hydrogen, halogen or alkyl, alkoxy, hydroxy, alkylthio, mercapto, cyano, amino (optionally substituted by one or two alkyl), nitro, carboxy, alkoxycarbonyl, aminocarbonyl (optionally substituted by one or two alkyl) or carbamoyl, or, taken in pairs, form together with the carbon atoms to which they are bonded a phenyl ring or an aromatic heterocycle having from 5 to 7 ring members and containing from 1 to 3 hetero atoms selected from nitrogen, oxygen and sulphur,
- ✓ L<sub>1</sub> and L<sub>2</sub> each represents hydrogen or together form -CH<sub>2</sub>-CH<sub>2</sub>-,
- ✓ X<sub>1</sub>, attached at the 2 or 3 position of the aromatic ring, represents a bond, and in
  that case X<sub>2</sub> represents hydrogen, halogen, alkyl, alkoxy, hydroxy, nitro or cyano,
  or amino (optionally substituted by one or two alkyl),
  or,

 $X_1$  and  $X_2$ , together with two adjacent carbon to which they are bonded in the 2, 3 or 4 position of the aromatic ring, form ( $C_4$ - $C_7$ )cycloalkyl wherein one or two  $-CH_2$ —of the eycloalkyl ring are optionally replaced by oxygen or NH (optionally substituted by alkyl) and wherein one carbon of the cycloalkyl ring is substituted by G,



✓ X<sub>3</sub> represents hydrogen, halogen, alkyl, alkoxy, hydroxy, nitro or cyano, or amino (optionally substituted by one or two a."--"

## G represents

wherein:

T<sub>3</sub> represents optionally substituted heteroaryl or optionally substituted heteroarylalkyl,

## wherein:

EI

- the term "alkyl" denotes linear or branched group containing from 1 to 6 carbon,
- the term "alkoxy" denotes linear or branched alkyl-oxy containing from 1 to 6 carbon,
- the term "aryl" denotes phenyl, naphthyl or biphenyl,
- the term "heteroaryl" denotes a benzodioxinyl group,
- the expression "optionally substituted" associated with aryl, arylalkyl, heteroaryl and heteroarylalkyl denotes that those groups are unsubstituted or substituted on the cyclic moiety by one or more halogen and/or alkyl, alkoxy, hydroxy, mercapto, alkylthio, cyano, amino (optionally substituted by one or two alkyl), nitro, carboxy, alkoxycarbonyl, aminocarbonyl (optionally substituted by one or two alkyl) or carbamoyl, wherein heteroaryl and heteroarylalkyl may in addition be substituted by oxo, its

enantiomers and diastereoisomers thereof, and addition salts thereof with a pharmaceutically acceptable acid or base.

FI

- 19. (previously presented): A compound of Claim 18, wherein  $L_1$  and  $L_2$  each represents hydrogen.
- 20. (previously presented): A compound of claim 18, wherein  $L_1$  and  $L_2$  together form -CH<sub>2</sub>-CH<sub>2</sub>-.
- 21. (previously presented): A compound of Claim 18, wherein R<sub>1</sub> and R<sub>4</sub> each represents hydrogen.
- 22. (previously presented): A compound of Claim 18, wherein R<sub>2</sub> and R<sub>3</sub> are selected from halogen and alkyl.
- 23. (previously presented): A compound of Claim 18, wherein X<sub>1</sub> is attached at the 2 position of the phenyl ring.
- 24. (previously presented): A compound of Claim 18, wherein X<sub>1</sub> represents a bond and X<sub>2</sub> represents halogen or alkyl or alkoxy.
- 25. (previously presented): A compound of Claim 18, wherein X3 represents hydrogen.
- 26. (previously presented): A compound of Claim 18, wherein R<sub>3</sub> and R<sub>4</sub> together with carbon to which they are bonded form a phenyl ring and L<sub>1</sub> and L<sub>2</sub> together form CH<sub>2</sub>-CH<sub>2</sub>-
- Cancelled

  27. (previously withdrawn): -A compound of Claim-18, wherein G is selected from:

wherein T'3 is an optionally substituted substituted heteroaryl or optionally substituted heteroarylalkyl.

- 28. (currently withdrawn): A compound of Claim-18, wherein X<sub>1</sub> and X<sub>2</sub>, together with two carbon in the 2 and 3 position of the aromatic ring to which they are bonded, form (C<sub>1</sub>-C<sub>2</sub>)cycloalkyl.
- 29. (previously presented) :A compound of claim 18 that is N-(3-chloro-4-methylphenyl)-N'-{3-[4-(2,3-dihydro-1,4-benzodioxin-2-ylmethyl)-1-piperazinyl]phenyl} urea, its addition salts thereof with a pharmaceutically acceptable acid or base.
- 30. (previously withdrawn): A compound of Claim 18 that is N [4 chloro 3 (4,5 dihydro 1H imidazol-2 ylamino)phenyl]-N' (3 chloro 4 methylphenyl)uroa, its enantiomers and diastereoisomers thereof, and addition salts thereof with a pharmaceutically acceptable acid or base.
- 31. (previously withdrawn): A compound of Claim 18 that is N (3 chloro 4 methylphenyl) N' [2 (1H imidazol 4-yl) indan 5 yl]urea, its chantiomers and diastereoisomers thereof, and addition salts thereof with a pharmaceutically acceptable acid or base.
- 32. (previously presented): A compound of Claim 18 that is  $N-\{3-[4-(2,3-dihydro-1,4-benzodioxin-2-ylmethyl)-1-piperazinyl]$  phenylN-(3,4-dimethylphenyl) its addition salts thereof with a pharmaceutically acceptable acid or base.
- 33. (previously presented): A method for treating an animal of human living body afflicted with depression, anxiety, schizophrenia, Parkinson's disease, cognitive disorders, libido disorders and sexual dysfunction, sleep disorders, drug abuse, and impulsive behaviour disorders comprising the step of administering to the living body an amount of a compound of Claim 18 which is effective for alleviation of said condition.

E

34. (previously presented): A pharmaceutical composition useful for treating an animal of human living body afflicted with a condition selected from depression, anxiety, schizophrenia, Parkinson's disease, cognitive disorders, libido disorders and sexual dysfunction, sleep disorders, drug abuse, and impulsive behaviour disorders comprising a compound of Claim 18 in combination with one or more pharmaceutically acceptable, excipients or vehicles.